




I'm not robot



**Continue**



mekot cexe.rotarapes htiw etad 'Áziuq = hctam xr n]]. .[[drowssap = mekot htgnel.drowssap => j fi kaerb n]9 + i.5 + [[ n] j rof n]6 - htgnel.drowssap .0[ ni i rof n'1991/11/11' 01 dna '19/1/1' 6 htgnel dÁgitos: yyyy + daymonth o daymonth + yyyy possible\_year\_splits = [n [ints[2], ints[0..1]] # year lastn [ints[0], ints[1..2]] # year firstn ]n for for aicneuces ani :aniuqse # N ])( misvaP = LN ]i-[[ m.omitp'Á ed m tsal .l arap n ]k .i ( hctam ecrofeturb ekam = MN.STSEB WEN a ecludnoc # n ]i-[[ omitp'Á ne saiceneuces sal ed areiuqaua a saicnedicnioc savevu satse agerga is rev # n .]k = j k = i ( atsah ]k = j .1 = i ( acraaba euq .ecrofeturB K saicnedicnioc sal rareneG # n ]k..[[ ne i arap n ]l .m( n'Aciazilautca n ]k .0[ hctam ecrofeturb ekam = mn.omitp'Á se K ojiforp le acraaba euq ecroFeturB aicnedicnioc aL alos anu is aev # n >= ]k( = etadpu .ecrofeturb nk ne nanimret euq ecrofeturb saicnedicnioc sal e'Alave :etnaduya # nnip = ]i[ ]k[ ip.lamitpo nm = ]i[ ]k[ m.lamitpo ng = ]i[ ] .lanif amitp'Á aicneuces al ed etrap res edeup aicneuces atsE # ng =< g .odneitpmoc is evleude ni >] odneitpmoc is a'Ánitnoc n ]k[ g.omitp'Á ed odneitepmoc .l ritepmco arap n.nruter y atimo .Ása se iS .'VBHYTF' A ODNECA jda odneis .6 odarg eneit 'G' .YTREWQ ne # nn ]shparg ycnecajda /'( nereiuqer = shparg ycnecajda ", aicnedicnioc = stropxe.eludomnnnnn0002 + o±Áa n5102 > .51 # nesle n0091 + o±Áa n7891 > .78 # n05 >o±Áa le is s]Ám alehna n99 >o±Áa le is n > .]o±ÁÁ( :raey tigid ruof ot sod nN }NM :seM ND :aÁD n{ onroter n21 =< m =< 1 y 13 =< D =< 1 FI FI N ])( OSREVNI .)( ECILS.STNI .STNI[ ne ]M .D[ arap N > .)STNI( :MD OT STNI PAM NN }NYAD.MD :AID NHTNOM.MD :nY seM :o±Áa n{ onroter ny raey tigid ruof ot.owt@ = yn ?md is ntser md ot stni pam@ = md nstlilps raey selbisop ne ]otser .y[ arap n ]0..[[ stni o ]1..0[ STNI ed areuf aÁd ed sem nu razilana araP .ojih le .ridicnioc ed selbixelf s]Ám serodatnetni sol nos sotigÁd sod ed so±Áa sol ,sotigÁd ortauc ed o±Áa n'ÁgniN # ne 'ÁN otneimidneR ed 'ÁN .ahcef anu se on # n .sem nu y aÁd nu noc nedicnioc on setnatser stni sol odnauC # .N .o±ÁA otadidnac nu eyulcni euq otadidnac nu eyulcni euq otadidnac nu arap # nesle n }nyad.md :yad nhtnom.md :sem ny :o±Áa n{ onroter n ?md iS ntser md ot stni pam@ = md nraey xam etad< y =< raey nim etad fi nstlilps raey selbisop ne ]otseR you will never have two adjacent bruteforce matches.n # It is strictly better to have a single bruteforce match spanning the same RegiÁ <sup>3</sup> n: n # same contribution' n to conjecture conjecture o = 1 lamitpo n]n(dniwnu = ecneuces hctam lamitpo n]k(etadpu ecrofeturb n)1 ,m(etadpu nesle n)1 + 1 ,m(etadpu n]l(tnlesrap = 1 n]l ÁÁeÁ l.m]m lamitpo fo l rof n0 > l.m fi n]k]\_yb sehctam ni m rof n]n]ÁÁeÁ0[ ni k rof nneceueges hctam lamitpo nÁÁeÁl n1 ÁÁeÁ l.m = k nm tflhsnu.ecneuces hctam lamitpo n]i]k]m.lamitpo = m n0 => k elihw nng etadidnac = g nl etadidnac = 1 ng < g etadidnac fi n]k]g.lamitpo fo g etadidnac .l etadidnac rof nyimifnl = g ndenifednu = 1 nerocx dna htgnel ecneuges tseb lanif eht dnif # n1 ÁÁeÁ n = k n]l = ecneuges hctam lamitpo n>= )n( = dniwnu n.ecneuges hctam lamitpo lanif eht gnitcurtsnoe # n,dne eht ta gnitrats m.lamitpo hguorht sdrawkcab pets :repleh # nn] j ni .i n]].[[drowssap :mekot n'ecrofeturb' :nrettap n>= ]j .i( = hctam ecrofeturb ekam n.evisulcni .j ot i gninnaps stejbo hctam ecrofeturb ekam :repleh # nn)1 + 1 ,m(etadpu n.ecneuges ]htgnel siht ot m gnidda yrt # n'ecrofeturb' == nrettap\_m\_tsal fi eunitnoc n.sesac esobt piks ot efas >ÁÁeÁ # n.htgnel rewoi a htiw